

# GONSIN®



## TL-3300

Digital Conference System



## ◆ General Description

TL-3300 digital conference system allows the delegate to speak, request to speak and listen to the speech. Each discussion unit comes with headphone jack and volume control for the delegate to listen to the floor audio, and adjust volume level for comfortable listening. 1 to 4 delegate microphones can be active at the same time.

## ◆ Main Features

- ◆ Highly resistant to mobile phone interference
- ◆ Supports HD video camera tracking
- ◆ Multiple chairman /vice-chairman units are allowed
- ◆ Pluggable gooseneck microphone
- ◆ Easily hidden unit connecting cables

**TL-VX3300  
chairman unit**

**TL-VD3300  
delegate unit**

Chairman unit has additional red priority button, which can override all active delegate units. This red button is exclusive for Chairman unit.

Basic Functions

- ◆ Selectable microphone modes: AUTO / FIFO / OPERATOR
- ◆ Floor audio listening via headphone or built-in loudspeaker
- ◆ Attendance: key press and supplementary registration
- ◆ Up to 20 chairman and vice-chairman units for one system
- ◆ Chairman units can be activated at any time
- ◆ Chairman unit can override/mute all the active delegate units
- ◆ Supports automatic video camera tracking with preset panoramic position

Compact structure design, easily hidden unit connecting cables, more beautiful appearance.



Technical Specifications

Mounting type	Tabletop
Frequency response	30Hz-20kHz
Sensitivity	-46dB±4dB
THD	<0.3%
Power input	24V DC
Microphone length	Standard 410 mm, Optional 310/510mm
Headphone jack	Mono 3.5mm
Internal loudspeaker	4Ω/3W
Weight	0.75 kg
Dimensions	190×162×60 mm (W*D*H)
Operating temperature	0~45°C
Storage tempefrature	-20~50°C

# Unit



Standard  
 speed CPU and high-performance DSP digital audio  
 20KHz.

High-end design. All the function divisions are

Display system status, active mic, speaking mode.  
 Language can be customized.

and management

System has auto-repair function, support hot plug-

60-70 microphones. By cascading extension units,  
 units.

Large range and sufficient power supply.

When a U disk is inserted, audio recording can be set  
 and can be displayed in real time.

Whether or HD camera, can realize HD automatic

Unit, and standard definition video conference  
 camera tracking function of standard definition

Radio, PA, and other audio systems, the conference

On central control unit, conference units.

For conferences, self-test can be run for each

Control unit and PC, which can achieve control  
 and update.

Supports automatically or manually assign ID to the

Available (apply to 5600 series)

to 4200 series)

# ◆ Digital Conference Management System

V5.0.1

## ◆ Main Interface

On the main interface of software, there are software name, exit key and three function keys:

[Setting]: pre-event configuration is mainly for conference information, system setup, device management and conference management, etc.

[Start]: the conference is ready to begin after the pre-event configurations are done. Main functions include PC connection, IC card reading/writing, device checking, slogan display, topic display, attendance registration / supplementation / cancellation, voting / evaluation / election / grading / quick election, result display, etc.

[Report]: post-event information can be processed after the close of conference. Main functions include conference info save/recall, delegate info, attendance info (name counts, name search, name list printing, report printing, etc), voting result printing (voting, evaluation, election, grading result checking and printing).



## Modules and functions

### Setting - System setup

- ◆ Delegate Info
- ◆ Back. Image
- ◆ Venue Design
- ◆ Skin & Lang.
- ◆ IC Card
- ◆ User Admin
- ◆ Backup Host
- ◆ Data Admin

### Setting - Conference management



- ◆ Devices
- ◆ Camera
- ◆ Topics
- ◆ Delegates
- ◆ Seating
- ◆ Attendance
- ◆ Screen

### Start - Control modules

- ◆ Attendance
- ◆ Voting (Yes/No/Abst)
- ◆ Evaluation control
- ◆ Election control (Yes/No/Abst)
- ◆ Quick Election (1/2/3/4/5)
- ◆ Microphone
- ◆ Script
- ◆ Slogan
- ◆ Camera
- ◆ On/Off Line
- ◆ IC Card
- ◆ Video Card
- ◆ Recording
- ◆ Chairman

### Report - Post-event data


- ◆ Delegates
- ◆ Voting
- ◆ Details
- ◆ Election
- ◆ Evaluation
- ◆ Data Admin



All rights reserved. The information and specifications included are subject to change without prior notice.


GONSIN CONFERENCE EQUIPMENT CO.,LTD.  
[www.gonsin.com](http://www.gonsin.com)







# System Configuration



All rights reserved. The information and specifications included are subject to change without prior notice.

GONSIN CONFERENCE EQUIPMENT CO.,LTD.  
[www.gonsin.com](http://www.gonsin.com)

